

10-20-00

FORM 1082

FORM PTO-1082

File Number: FKC-102US

THE ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of
Inventor: Patrick McErlean
For: ELECTRONIC MESSAGE DISTRIBUTION

Enclosed are:

- ☒ 7 sheets of drawing.
- ☒ An assignment of the invention to AMACIS LIMITED
- ☒ A Declaration and Power of Attorney.
- ☒ A verified statement to establish small entity status under 37 CFR 1.9 and 37 CFR 1.2
- ☐ Claim to Right of Priority w/certified copy of ___ application no(s). ___
- ☐ This application claims the benefit of U.S. Provisional Application No. ___ filed ___



The filing fee has been calculated as shown below:

(Col. 1)		(Col. 2)	SMALL ENTITY		OTHER THAN A SMALL ENTITY		
FOR:	No. Filed	No. Extra	Rate	Fee	OR	Rate	Fee
Basic Fee				\$355	OR		\$ 710
Total Claims	30-20=	10	x \$9	\$90	OR	x \$18	\$ 0
Indep Claims	4-3=	1	x \$40	\$40	OR	x \$80	\$
<input type="checkbox"/> Multiple Dependent Claim Presented			+ \$135	\$	OR	+ \$270	\$
			TOTAL	\$485	OR	TOTAL	\$

*If the difference in Col. 1 is less than zero, enter "0" in Col. 2.

*If the difference in Col. 1 is less than zero,
enter "0" in Col. 2.

- ☐ Please charge my Deposit Account No. **18-0350** the amount of \$. A duplicate copy of this sheet is enclosed.
- ☒ A check in the amount of **\$485** to cover the filing fee is enclosed.
- ☒ The Assistant Commissioner for Patents is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 18-0350 . A duplicate copy of this sheet is enclosed.
- ☒ Any additional filing fees required under 37 CFR 1.16.
- ☒ Any patent application processing fees under 37 CFR 1.17.
- ☐ The issue fee set in 37 CFR 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b).


<input checked="" type="checkbox"/> Customer Number or Bar Code Label Or <input type="checkbox"/> Correspondence address below	Insert Customer No. or Attach bar code label here  23122 PATENT TRADEMARK OFFICE	Respectfully submitted,  Andrew L. Ney, Reg. No. 20,300
--	--	--

tmb

EXPRESS MAIL Mailing Label Number: EL 711 312 105 US

Date of Deposit: October 19, 2000

I hereby certify that this paper and fee are being deposited, under 37 C.F.R. § 1.10 and with sufficient postage, using the "Express Mail Post Office to Addressee" service of the United States Postal Service on the date indicated above and that the deposit is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.



Kathleen Libby

Serial or Patent No.: To Be AssignedFiled or Issued: HerewithFor: ELECTRONIC MESSAGE DISTRIBUTIONAntony & DODGE INC. ATTORNEYS

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9(f) and 1.27(c) - SMALL BUSINESS CONCERN**

I hereby declare that I am

☐ the owner of the small business concern identified below:☒ an official of the small business concern empowered to act on behalf of the concern identified below:NAME OF CONCERN Amazis LimitedADDRESS OF CONCERN Falcon Road, Belfast, Northern Ireland, United Kingdom

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third-party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed, to and remain with the small business concern identified above with regard to the invention, entitled ELECTRONIC MESSAGE DISTRIBUTION by inventor(s) Patrick McErlan described in

☒ the specification filed herewith.☐ application serial no. __, filed __☐ patent no. __, issued __

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights in the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

NAME __

ADDRESS __

☐ INDIVIDUAL☐ SMALL BUSINESS CONCERN☐ NONPROFIT ORGANIZATION

NAME __

ADDRESS __

☐ INDIVIDUAL☐ SMALL BUSINESS CONCERN☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small business entity is no longer appropriate. (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING X PATRICK M. ERLANTITLE OF PERSON OTHER THAN OWNER X VP TECHNOLOGY

ADDRESS OF PERSON SIGNING

SIGNATURE X [Signature]DATE X 12/10/00

CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10)

Applicant(s): Patrick McErlean

Docket No.

FKC-102US

Serial No.
To Be AssignedFiling Date
Herewith

Examiner

Group Art Unit

Invention: **ELECTRONIC MESSAGE DISTRIBUTION**

I hereby certify that the following correspondence:

1082; Specification (42 pgs.); Drawings (7 sheets); Decl/POA (2 pgs.); Statement Claiming Small Entity Status; 1595; Assignment (3 pgs.); 2 checks; Postcard*(Identify type of correspondence)*

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: The Assistant Commissioner for Patents, Washington, D.C. 20231 on

October 19, 2000*(Date)***Kathleen Libby***(Typed or Printed Name of Person Mailing Correspondence)**(Signature of Person Mailing Correspondence)***EL 711 312 105 US***("Express Mail" Mailing Label Number)***Note: Each paper must have its own certificate of mailing.**jc853 U.S. PTO
09/691936

Electronic Message Distribution

5 FIELD OF THE INVENTION

The present invention relates to electronic message distribution. The invention relates particularly to the distribution of electronic messages which may fall within
10 more than one different message classes or categories.

BACKGROUND TO THE INVENTION

Many organisations are now equipped to receive messages,
15 including orders and enquiries, by electronic means. Typically, such electronic messages take the form of text-based messages, for example e-mails, delivered by a global computer network, for example the Internet, or by a telecommunications network, for example a mobile telephone
20 network. Each message must be processed and dealt with appropriately i.e. according to the nature of the message. In many cases, the volume of received electronic messages is relatively high and it is considered inefficient to process each message manually.

25

For this reason, it is known for electronic message processing systems, typically in the form of a computer system, to employ a text analyzer, such as IBM's Mail Analyzer, to analyse the content of electronic messages in
30 order to classify, or categorize, each message according to its content. Once a message has been categorized, the processing system sends it on to a human agent who has the skills necessary to deal with messages falling within the

relevant category(s). Alternatively, the computer system itself may be able to deal with messages falling within certain category(s).

5 Typically, a text analyzer examines the text of each message in turn in search of one or more alphanumeric text string, for example a word or sequence of words, which may be used to identify the purpose or nature of the message under examination. Normally the text analyzer operates in
10 association with a rule engine to apply a set of rules to the message in order to determine how to categorize the current message.

By way of simplistic example, a banking organisation may
15 have a message processing system arranged to receive electronic messages in three different categories, namely: balance enquiry; request for funds transfer; and interest rate enquiry. In order to categorize each received message, a text analyzer in association with a rule engine
20 applies a set of four rules to each message in turn. The first rule stipulates that if the text string "balance" appears in the message, then the message falls in the balance enquiry category. The second rule stipulates that if the text strings "funds" and "transfer" appear in the
25 message, then the message falls in the funds transfer category. The third rule stipulates that if the message contains the text string "interest rate", then the message should be categorized as an interest rate enquiry. The fourth rule stipulates that if none of the previous rules
30 are satisfied, then the message is deemed unclassified.

Clearly, a message may fall within more than one category.

For this reason, some conventional text and analyzers, including the IBM mail analyzer are capable of generating a set of more than one categories in which a given message is deemed to fall. Further, such text analyzers normally
5 associate with each category in the set an indication of the level of confidence with which the text analyzer has determined that the message falls within that category. Typically, the confidence level is expressed as a percentage.

10 Once categorization is complete, the message has to be distributed to a human agent, or a computer (automated) agent, that is capable of dealing with messages falling within the relevant category or categories. There is a
15 problem, however, in that an agent may not have the capability to deal with all of the categories into which a given message falls. This is particularly true for large organisations which may receive messages falling in one or more of tens or even hundreds of categories, and where
20 each agent employed by the organisation is only trained to deal with a subset of those categories.

Conventionally, an e-mail processing system includes a distributor which is arranged to determine which category
25 has been assigned to a given message with the highest confidence level. The distributor then selects an agent that is capable of dealing with said category and forwards the message on to him (or it).

30 Upon receipt of the message, the agent duly deals with those aspects of the message that he can. If a message includes further aspects which fall within a category or categories that the agent cannot deal with, the onus is on

the agent to recognise this and to forward the message, together with the part-response that the agent was able to prepare, to another agent who does have the capability to deal with one or more of the outstanding categories.

5

This is problematic since the agent may not recognise that there are other aspects of the message which require attention or may simply fail to forward the message on to another agent. This can result in a response being returned to the customer (from which the message emanated) which only partly deals with the various orders or requests made in the message. This can be frustrating to the customer and damaging to the organisation as it may result in loss of business.

10

15

SUMMARY OF THE INVENTION

In accordance with a first aspect of the present invention there is provided an electronic message distributing apparatus for distributing electronic messages from a database to one or more agents, the database storing, in respect of each electronic message to be distributed, a set of one or more message classes into which the respective electronic message is deemed to belong, the distributing apparatus comprising: means for determining, from said database, at least one message class in which an electronic message is deemed to belong; means for selecting, from a directory of one or more agents, an agent that has a capability to process electronic messages that belong to said at least one message class; means for causing said electronic message to be rendered to said selected agent for processing thereby; and means for receiving from said selected agent a signal indicating

20

25

30

that said electronic message is processed; wherein, upon receipt of said signal, the distributing apparatus is arranged to determine, from said database, if said set includes one or more message classes in respect of which said electronic message is not processed and, in response to determining that said electronic message has not been processed in respect one or more message classes in said set, is arranged to select a further agent to which to cause said electronic message to be rendered, which further agent has a capability to process messages which belong to one or more of said unprocessed message classes.

Thus, the distributing apparatus of the present invention ensures that a given electronic message which falls within multiple message classes is dealt with, or processed, in respect of all of said classes for which there is a capable agent. The distributing apparatus distributes a message to a plurality of agents if necessary until it determines that all aspects of the message which can be dealt with, are dealt with. The onus on the agent to forward the message to other agents is removed. Hence, the likelihood that an inadequate reply message will be sent to a customer is greatly reduced.

In a preferred embodiment of the invention, each message class comprises a respective message group, each message group comprising one or more message categories. It is preferred to define one or more basic message categories into groups as this simplifies the distribution process.

More preferably, it is assumed that when a message is sent to a particular agent in respect of a particular message class, or group, that the agent also deals with any other

aspects of the message which fall into classes or groups which the agent is capable of dealing with.

A second aspect of the invention provides an electronic message processing system for distributing electronic messages amongst a plurality of agents, the system comprising:

a database arranged to store, in respect of each electronic message to be distributed, a set of one or more message classes into which the respective electronic message is deemed to belong; and

a directory of one or more agents, said directory including, in respect of each agent, a set of one or more message classes in respect of which the respective agent has a capability of dealing with electronic messages;

a distributing apparatus arranged to distribute electronic messages to one or more of said agents, the distributing apparatus comprising:

means for determining, from said database, at least one message class in which an electronic message is deemed to belong;

means for selecting, from said directory, an agent that has a capability to process electronic messages that belong to said at least one message class;

means for causing said electronic message to be rendered to said selected agent for processing thereby; and

means for receiving from said selected agent a signal indicating that said electronic message is processed;

5 wherein, upon receipt of said signal, the distributing apparatus is arranged to determine, from said database, if said set includes one or more message classes in respect of which said electronic message is not processed and, in response to determining that said electronic message has
10 not been processed in respect one or more message classes in said set, is arranged to select a further agent to which to cause said electronic message to be rendered, which further agent has a capability to process messages which belong to one or more of said unprocessed message
15 classes.

In a preferred embodiment, the database includes a first set of data records each data record including means for identifying the respective message to which it relates and
20 means for identifying a respective message class in which said respective message is deemed to belong. The first set of data records, which hereinafter is referred to as a workflow table, serves as a list of all electronic messages which have been received by the electronic
25 message system and which have undergone classification. Preferably, each data record includes a status identifier for indicating whether or not the electronic message to which said data record relates has been processed in respect of the message classification noted in the data
30 record.

Preferably still, all data records which relate to the same electronic message, are prioritised with respect to

one another. Further preferably, the prioritisation is determined on the basis of the level of confidence with which the electronic message is classified into the respective message classes.

5

Preferably, the system includes a second set of data records, each data record in the second set also including means for identifying the respective message to which it relates and means for identifying a respective message class to which said respective message is deemed to belong. The second set of data records, hereinafter referred to as the distributor control table, serves as a list of electronic messages or part-messages, which are awaiting distribution by the distribution apparatus.

10

15

A third aspect of the invention provides a method of processing electronic messages in the electronic message processing system of the second aspect of the invention.

20

A fourth aspect of the invention provides a computer program product comprising computer program code stored on a computer usable storage medium for performing the method of the third aspect of the invention.

25

Other aspects of the present invention will become apparent to those ordinarily skilled in the art upon review of the following description of a specific embodiment of the invention and with reference to the accompanying drawings.

30

BRIEF DESCRIPTION OF THE DRAWINGS

5 An embodiment of the invention is now described by way of example and with reference to the accompanying drawings in which:

10 **Figure 1** is a schematic view of a communications network including a electronic message processing system;

Figure 2 is a more detailed schematic view of the electronic message processing system of Figure 1;

15 **Figure 3** is a schematic representation of data tables, arranged in accordance with the present invention, held within a database of the electronic message processing system of Figure 1;

20 **Figure 4** is a flow chart illustrating the operation of a classifier, in accordance with the present invention, included in the system of Figure 1;

25 **Figure 5** is a flowchart illustrating the operation of a distributor, in accordance with the present invention, included in the system of Figure 1;

Figure 6 is a continuation of the flowchart of Figure 5; and

30 **Figure 7** is a schematic representation of electronic message categories and groups arranged for use with the present invention.

DETAILED DESCRIPTION OF THE DRAWINGS

With reference to Figure 1 of the drawings, there is
5 shown, generally indicated at 10, a communications network
for the transmission of electronic messages 12. The
network 10 includes a global computer network 14, such as
the Internet, and a mobile telephone network 16 but, in
general, may include any computer network and/or
10 telecommunications network, including WAN, LAN or MAN
networks. The electronic messages 12 typically take the
form of, for example, e-mails, Web-page forms, SMS (Short
Message Service) text messages, as commonly used by mobile
telephones, or the like. It will be understood that the
15 present invention is not limited for use with any
particular such type or types of electronic messages.

The electronic messages 12 are transmitted across the
communications network 10 in conventional manner using,
20 for example, a mail server 20, Web server 22, servlet 24
and/or WAP (Wireless Application Protocol) gateway 26, as
appropriate, and using conventional transmission protocols
such as, WAP, HTTP (Hyper Text Transfer Protocol), SMTP
(Simple Mail Transfer Protocol), POP (Post Office
25 Protocol), or other suitable protocol. It will be
understood that the invention is not limited to use with
any particular transmission means or protocols.

The electronic messages 12 are received by a message
30 processing system 18 which may reside, for example, on an
organization's computer system (not shown) or an ASP's
computer system (not shown). The message processing
system 18 includes means for receiving electronic messages

in conventional manner which, in the example of Figure 1, includes an e-mail receiving module 28, an SMS receiving module 30 and a database 32 for storing received messages 12.

5

In the example illustrated in Figure 1, the e-mail receiver 28 is arranged to receive e-mails in two ways. The first is directly from an ISP (Internet Service Provider) using SMTP, the second is via the mail server 20 using POP3. The e-mail receiver 28 is further arranged to receive Web-page form messages through the web server 22. Web-page form messages may be considered as structured e-mails which call the servlet 24 in the web server 22 which in turn converts the Web-page form content into an e-mail which is subsequently sent to the e-mail receiver 28 using SMTP.

10

15

20

Web-page forms from the mobile network 16 are transmitted using a WAP protocol stack to the WAP gateway 26. The WAP gateway 26 converts the Web-page form into an HTTP request, which is then processed by the web server 22 and servlet 24 as described above. SMS messaging from the mobile network 16 is conveniently transmitted using WAP to the SMS receiver 30.

25

Thus, the e-mail receiver 28 and the SMS receiver 30 are arranged in conventional manner to support the appropriate transmission protocols which, in the example of Figure 1, are SMTP and POP3 for the e-mail receiver 28, and WAP (SMPP) for the SMS receiver.

30

The communications network 10 of Figure 1 is given by way of example only to provide a typical context for the invention and is not limiting to the invention.

5 Referring now to Figure 2, the message processing system 18 is shown in more detail. Electronic messages 12 received by the e-mail receiver 28 and SMS receiver 30 are stored in database 32. A classification module 34, or classifier, retrieves each message 12 from the database 32
10 in turn. The primary function of the classifier 34 is to classify, or categorize, each message 12 into one or more categories depending on the content of the message 12. To this end, the classifier 34 is associated with, or includes, a text analyzer 36, for example the IBM Mail
15 Analyzer and is further associated with, or includes, a rule engine.

Once classified (or categorized), each message is returned to the database 32 by the classifier 34 together with the
20 determined classification information and, preferably, with information as to where the message should be routed in view of its classification. For example, messages 12 falling within certain categories may require to be dealt with by a human agent (not shown) with particular skills,
25 while messages 12 falling within other categories may be dealt with automatically by a virtual agent 38.

A distributor module 40, or distributor, retrieves the categorized messages and distributes them either to the
30 virtual agent 38 or a mail client 42, according to the respective categorization and/or routing information. The virtual agent 38 includes one or more software routines which automatically generate an appropriate response to a

message 12 according to its categorization information. The mail client 42 provides the message 12 to a human operator, or agent, who then prepares an appropriate response. Once a final response is prepared, the distributor 40 marks the response as complete and causes it to be stored in the database 32. Figure 2 only shows one mail client 42 and one virtual agent 38 although in practice there may be a plurality of each.

- 5 distributor 40 marks the response as complete and causes it to be stored in the database 32. Figure 2 only shows one mail client 42 and one virtual agent 38 although in practice there may be a plurality of each.
- 10 A composing module 44, or composer, retrieves responses from the database 32 that are marked as complete and composes a respective response message (not shown) for reply to the originator (not shown) of the respective received message 12. The composer 44 typically fulfils
- 15 any attachment requirements as well as adding the appropriate Internet, or other, protocol information. Each composed response message is then returned to the database 32.
- 20 An e-mail dispatch module 46, or dispatcher, retrieves from the database 32 the composed response messages which are destined to be transmitted by e-mail and conveniently dispatches them to an ISP (not shown) using SMTP. An SMS
- 25 dispatch module 48, or dispatcher, retrieves from the database 32 the composed response messages which are destined to be transmitted as SMS messages and dispatches them to the mobile network 16 using SMPP protocol.

Conveniently, the modules of Figure 2 take the form of

- 30 CORBA (Common Object Request Broker Architecture) modules, or servers written, for example, in the Java programming language. Each module may reside on a single computer or may be distributed across a computer system, as is

convenient. The e-mail receiver 28, SMS receiver 30, virtual agent 38, mail client 42, composer 44, e-mail dispatcher 46 and SMS dispatcher 48 are generally conventional in configuration and operation and are not limiting to the present invention.

The text analyzer 36 is of the type which is capable of generating multiple categories for a given message. IBM'S mail analyzer is an example of such a text analyzer. One aspect of the present invention is concerned with the arrangement and interaction of the classifier 34 and the distributor 40 for dealing with messages that fall within more than one category, as is now described in more detail.

When an electronic message is processed by the text analyzer 36, the text analyzer 36 applies, in conventional manner, a set of rules to the content of the electronic message in order to determine the nature of the message. In this way, the text analyzer 36 is able to classify, or categorise, the electronic message according to its content. Some messages may include more than one type of question or request and may therefore fall into more than one different class or category. For example, a customer (not shown) of a banking organization may send in an e-mail message which comprises both a balance enquiry and a request for a funds transfer, each of which may be deemed to fall in a respective different category. The text analyzer 36 is therefore arranged to generate one or more categories for each message that it processes, depending on the content of each message. The text analyzer 36 is further arranged to assign to each category that it generates, an indication of the level of

confidence it has that the categorisation is correct. The confidence level is typically expressed as a percentage.

With reference now to Figure 4, the classifier 34 is arranged to receive, for each electronic message, the or each category generated by the text analyzer 36 (module 401). At module 402, the classifier 34 arranges the or each category generated by the text analyzer 36 in order of confidence level. Table 1 illustrates an example where for a given electronic message (not shown), the text analyzer 36 generates a set of five categories, namely categories 1, 4, 5, 6, 8, in which it deems that the message belongs. Each category is associated with a respective confidence level expressed as a percentage.

CATEGORY	CONFIDENCE LEVEL	GROUP
6	98%	A
4	87%	C
1	86%	B
5	73%	C
8	64%	A

Table 1

ORDER	CATEGORY	GROUP
1	6	A
2	8	A
3	4	C
4	5	C
5	1	B

Table 2

In the preferred embodiment, the categories are further arranged in groups and a group may embrace more than one category. An example of this arrangement is given in Figure 7 in which categories 6 and 8 are defined as belonging to group A, categories 1 and 3 are defined as belonging to group B and so on. Figure 7 is a simplistic example in which there are only 8 categories and 4 groups in total. In practice there may be, for example, hundreds of categories distributed amongst tens of groups. While the arrangement of categories into groups is not essential, it is preferred since it simplifies the routing of messages to agents particularly in cases where there are a relatively large number of categories.

In Table 1, the categories are arranged in decreasing order of confidence level and each category is further associated with its respective group which, in the present case, is either A, B or C. Table 1 is the result of the classifier's activity under module 402.

At module 403, the classifier 34 re-orders the generated categories according to both group and confidence level. This is illustrated in Table 2 where category 6, being the category having the highest confidence level, is placed at the top of the table. Category 8 is placed next in Table 2 as it is also in group A but has a lower confidence level than category 6. The third entry in Table 2 is category 4 which has the next highest confidence level after category 6 but is in group C rather than group A. Category 5 is positioned next in Table 2 as it belongs to the same group as category 4 but has a lower confidence level and, finally, category B takes up last position in the table. When the categories are so ordered, they are

each assigned a respective order number or sequence number. Thus, a given electronic message is associated with a set of one or more categories which are ordered in a sequence according to the level of confidence with which each category has been assigned and, preferably, also according to the group into which each category falls, each category in the sequence having an order number or sequence number which identifies its position in the sequence.

It will be understood that there may be any number of different categories and/or groups. The illustrations given in Table 1 and 2 and Figure 7 show only a simplistic example where there are eight categories and four groups.

With reference now to Figure 3, the database 32 includes a first set of data records, hereinafter referred to as the workflow table 302, each data record, or entry 303, including a message identification element (in the "ID" column of the workflow table 302), a group identifier (in the "GROUP" column in workflow Table 302), one or more category identifiers (in the "CAT" column in table 302) a sequence number identifier (in the "ORDER" column in workflow table 302) and a status indicator (in the "STATUS" column in workflow table 302).

It will be understood that the workflow table entries 303 need not necessarily include both a group identifier and a category identifier. In general, each workflow table entry should include a message class, or category, identifier or other means suitable for determining to which agent the corresponding message should be routed, or distributed. Thus, the database 32 stores, in respect of

each electronic message to be distributed, a set of one or more message classes into which the respective electronic message is deemed to belong. The arrangement of Figure 3 (i.e. the inclusion of both group and category identifiers) is preferred. As will be understood from the following description, the group identifier serves as a means for determining to which agent the corresponding message should be distributed, or routed, while the, or each, category identifier determines how the agent should respond to the message.

Referring again to Figure 4, at module 404, the classifier 34 creates an entry 303 to the workflow table 302 for each group generated by the text analyzer 36 for a given message. For example, the message for which Table 2 is generated is designated with the message identifier *message1*. The classifier 34 thus generates three workflow table entries 303, each including the message identifier *message1*, a respective group identifier, one or more respective category identifiers, a respective sequence number and a respective status identifier. When the workflow table entries 303 are first created by the classifier 34, they are each given a status identifier which indicates that the entry 303 has not yet been processed by the distributor 40. In the present example the status identifier "U" is used to indicate an unprocessed workflow table entry 303, while the status identifier "P" is used to indicate that the workflow table entry 303 has been processed by the distributor 40.

The classifier 34 creates one or more workflow table entries 303 for each message that it receives and processes (classifies). In Figure 3, the workflow table

302 contains entries 303 for a plurality of messages, *message1* to *messageN*. In Figure 3, the entries 303 are shown to be ordered according to message identifier, but this need not necessarily be the case.

5

The database 32 further includes a second set of data records, hereinafter referred to as the distributor control table 304. The distributor control table 304 comprises a plurality of data records, or entries 305, each relating to a message, or part-message, which requires distribution to an agent by the distributor 40. In the present example, the entries 305 are arranged in queue order i.e. the order in which they are to be processed by the distributor 40. Each distributor control table entry 305 includes a queue number (which may conveniently be allocated on a first-come-first-served basis), a message identifier (ID) and a class identifier. It will be understood that order in which the entries 505 in the distributor control table 304 are processed, or distributed, by the distributor 40 need not necessarily be on a first-come-first-served basis and will depend on the distribution policy being implemented by the distributor (for example some groups may be given priority over others). The distributor control table 304 therefore represents a list, conveniently in queue order, of messages or part-messages which are to be processed, i.e. distributed, by the distributor 40. Each entry 505 further includes a status indicator for indicating whether the entry 505 is unprocessed (U), processed (P) or in progress (I).

10
15
20
25
30

Referring again to Figure 4, at module 405, the classifier 34 creates a distributor control table entry 305 for each

message that it classifies. In the preferred embodiment, the classifier 34 creates only a single distributor control table entry 305 - corresponding to the group which it has placed first in the sequence of categories - for each message. Thus, in the example of Table 2, the classifier 34 creates a single distributor control table entry 305 corresponding to group A. The control table entry 305 comprises the message identifier *message1*, a group identifier for group A and two category identifiers, one for category 6 and one for category 8. Thus, the respective sequence numbers or order numbers serve as a priority identifier as they indicate the relative priority of table entries 303 which relate to a given message.

The database 32 further includes a directory 306 of one or more agents that are available for selection by the distributor 40 and to which the distributor 40 may distribute or transmit a given electronic message for processing. The agent directory 306 includes a data record, or entry 307, for each agent, each entry 307 including an agent identifier (Agent ID), an indication of the capability of the agent which, in the preferred embodiment, comprises identification of the group(s) that the agent can deal with, and an indication of whether or not the agent is currently available to the distributor 40. This is illustrated in Figure 7, where Agent 1 (A1) can deal with groups A, B and D, Agent 2 (A2) can deal with group D only, and so on.

Referring now to Figures 5 and 6, the operation of the distributor 40 is now described. At module 501, the distributor 40 retrieves the distributor control table

entry 305 which is to be distributed next which, in the present example, is the one which is top of the queue.

At module 502, the distributor 40 marks the retrieved distributor control table entry 505 as being in progress. This is achieved by setting the respective status identifier to "I".

At module 503, the distributor 40 refers to the agent directory 306 and selects an agent that has the capability to process the group which is stipulated in the retrieved distributor control table entry 305, and which is currently available i.e. is not otherwise engaged, or absent.

The distributor 40 also determines from the agent directory 306 which other (if any) groups the selected agent can deal with. Then, at module 504, the distributor refers to the workflow table 302 to determine whether or not there are any further workflow table entries 303 for the current message being processed i.e. the message which corresponds to the retrieved distributor control table entry. In particular, the distributor 40 determines if there are any further workflow table entries 303 for said message which fall in a group that the selected agent can deal with.

By way of example, and with reference to Figure 3, the distributor 40 retrieves the first (Queue No.1) distributor control table entry 305 from the distributor control table 304. The distributor 40 is able to determine from the retrieved distributor control table entry 305 that the message to which the control table

entry relates is *message1* and that *message1* contains at least one query/request falling into group A. The distributor 40 then refers to the agent directory 306 to select an available agent who is capable of dealing with messages falling within group A. From the agent directory 306, the distributor 40 determines that *Agent1* is capable of dealing with group A but that *Agent1* is not currently available. The next available agent who is able to deal with group A is *Agent3*. The distributor 40 then selects *Agent3* to deal with *message1*. Before assigning *message1* to *Agent3*, the distributor 40 refers to the workflow table 302 to determine if there are any further workflow table entries 303 for *message1* which *Agent3* is also capable of dealing with. In the present example, the workflow table 302 includes one further entry 308 for *message1*, in which entry 308 *message1* is classified in group C. The distributor 40 knows from the agent directory 306 that *Agent3* is also capable of dealing with group C.

At module 505, the distributor 40 communicates the message corresponding to the retrieved distributor control Table entry 305 (in the present example *message1*) to the selected agent (in the present example *Agent3*), noting which group(s) the selected agent is able to process.

Conveniently, to communicate the message to the agent, the distributor 40 communicates to the agent's mail client 42 the message identifier and a list of the or each category that the agent is expected to deal with. The mail client 42 is then able to retrieve the message from the database 32 for rendering to the agent. In the example of *message1*, the distributor 40 communicates to the mail

client 42 that the agent is to deal with *message1* in categories 4, 5, 6 and 8.

Advantageously, the mail client 42 is also provided with a
5 respective set of one or more standard responses, or
 replies, for each category. These standard responses are
 conveniently pre-prepared by the organization operating
 the message processing system 10 and stored locally to the
 mail clients 42.

10 Thus, when the agent's mail client 42 receives the
 category information from the distributor 40, it generates
 a suggested reply to the customer containing all of the
 standard responses which correspond to the relevant
15 category(s). The mail client 42 then renders the message
 to the agent with its suggested response. The agent can
 then review the message and amend the suggested response
 as appropriate. It can thus be seen that the group
 information in the workflow table 302 and distributor
20 control table 304 determine how a message (or part-
 message) is routed or distributed, while the category
 information determines what response is made by the agent.

Conveniently, the mail client 42 at which the agent
25 operates is arranged to allow the agent to signal to the
 distributor whether or not a message is processed,
 unprocessed and/or dismissed.

When the selected agent has finished processing the
30 message that has been distributed to him, the agent
 signals to the distributor 40 that he has finished with
 the message. The mail client 42 at which the selected

agent operates, is arranged then to cause the agent's response to be returned to the database 32.

At module 506, the distributor 40 checks whether or not it
5 has received a signal from the selected agent indicating that the message has been processed. If no such signal is received by the distributor 40, or if the selected agent sends an alternative signal indicating that the message has not been processed, then the distributor proceeds to
10 module 507 in order to establish whether or not the message has been dismissed by the selected agent.

If, at module 507, the distributor 40 determines that the message has not been processed by the selected agent, then
15 the distributor 40 returns to module 503 in order to select an alternative agent to send the message. If, at module 507, the distributor 40 determines that the message has been dismissed by the selected agent, then the distributor 40 refers again to the workflow table 302 and
20 removes all of the workflow table entries 303 which relate to the dismissed message (module 508). At module 509, the distributor 40 marks the distributor control table entry as completed, or processed.

25 If, at module 506, the distributor 40 determines that the selected agent has processed the message, then the distributor 40 proceeds to module 601 (Figure 6).

At module 601, the distributor 40 refers to the workflow
30 table 302 and updates the respective status indicator of each entry 303 which relates both to the message which has just been processed by the selected agent and to the, or each, group which said selected agent is capable of

processing. It does this by comparing the entries in the agent directory 306 with the group identifiers in the workflow table 302. In the example of Figure 3, the distributor 40 updates the status identifiers of the workflow table entries 303 for *message1* in group A and in group C. This is shown in Figure 3 by means of the letter 'P' in the status column, rather than the letter 'U'.

At module 602 the distributor 40 marks the distributor control table entry 505 as complete, or processed (P).

At module 603 the distributor 40 checks the workflow table 302 for further entries 303 which relate to the same message that has just been processed by the selected agent but for which the respective status indicator shows that that particular entry 303 is unprocessed. In the example of Figure 3, the workflow table 302 includes a further entry for *message1* in group B which has the letter 'U' in the status column indicating that it is unprocessed.

If at module 604, the distributor 40 determines that further unprocessed workflow table entries 303 do exist for said message, then the distributor 40 proceeds to module 605. At module 605 the distributor 40 determines which of the further unprocessed workflow table entries 303 has been ordered as the highest in priority i.e. which has the lowest sequence number or order number. In the example of Figure 3, the workflow Table entry 303 for *message1* in group B is the only further entry 303 for *message1* and so automatically enjoys highest priority. However, should there be a further entry 303 for *message1* in, say, group D which were assigned order number 4, then the distributor to 40 would select the entry 303 in group

B in preference over said hypothetical group D entry since the group B entry has a lower order number i.e. 3.

At module 606, the distributor 40 creates a new
5 distributor control table entry 305 for said next, or
highest priority, unprocessed workflow entry 303. In the
example of Figure 3, the distributor 40 creates a new
distributor control table entry (not shown) for *message1*
in group B. In the present example the distributor 40
10 places said new distributor control table entry in queue
order i.e. in the case where there are currently N entries
already in the distributor control table 304, said new
distributor control table entry is placed at queue number
N+1.

15 After module 606, control returns to module 501 (Figure 5)
whereupon the distributor 40 retrieves the next entry from
the distributor control table 304. In the present
example, the next distributor control table entry 305 is
20 at number 2 in the queue and relates to *message2* in group
B. Modules 502 to 606 are repeated in respect of the
newly retrieved distributor control table entry 305.

In this way, the distributor 40 makes its way through the
25 distributor control table entries to 305 in queue order
(or according to whatever other distribution policy is
being implemented). In the present example, the
distributor 40 will eventually encounter said new
distributor control table entry at queue position N+1 in
30 the distributor control Table 304. Thus, the distributor
40 once more attends to the processing of *message1*,
although this time to process *message1* in respect of those
group(s) which were not dealt with by the previously

selected agent. Thus, the distributor 40 causes the message to be rendered to a further agent, which agent has the ability to process messages which belong to one or more of said unprocessed message groups. The process
5 continues until the message has been dealt with in respect of all message groups for which there is a capable agent.

In the present example, only those aspects of *message1* which relate to group B are outstanding. Modules 502 to
10 602 are repeated for the respective distributor control table entry and, conveniently, *Agent4* is selected on this occasion to deal with *message1* as *Agent4* has the capability to deal with group B. When module 604 is reached, the distributor 40 determines on this occasion
15 that there are no further workflow table entries for *message1*. The distributor 40 then proceeds to Module 607 in the assumption that the processing of *message1* is complete. At Module 607, the distributor causes *message1*, together with the response(s) prepared by *Agent3* and
20 *Agent4*, to be sent to the customer (not shown) from which *message1* emanated. This is achieved in conventional manner via the composer 44 and, say, the e-mail dispatcher 46.

25 After module 607, the distributor 40 returns to module 501 to retrieve the next entry from the distributor control table 304.

The invention is described above in the context of a
30 simple banking organization. It will be appreciated, however, that the invention is equally suitable for application other fields.

The invention is not limited to the embodiments described herein which may be modified or varied without departing from the scope of the invention.

1. A method of determining a value of a function of a variable, the method comprising: receiving a value of the variable; and determining the value of the function of the variable based on the received value of the variable.

Claims:

1. An electronic message distributing apparatus for distributing electronic messages from a database to one or
5 more agents, the database storing, in respect of each electronic message to be distributed, a set of one or more message classes into which the respective electronic message is deemed to belong, the distributing apparatus comprising:
10 means for determining, from said database, at least one message class in which an electronic message is deemed to belong;
15 means for selecting, from a directory of one or more agents, an agent that has a capability to process electronic messages that belong to said at least one message class;
20 means for causing said electronic message to be rendered to said selected agent for processing thereby; and
means for receiving from said selected agent a signal indicating that said electronic message is processed;
25 wherein, upon receipt of said signal, the distributing apparatus is arranged to determine, from said database, if said set includes one or more message classes in respect of which said electronic message is not processed and, in
30 response to determining that said electronic message has not been processed in respect one or more message classes in said set, is arranged to select a further agent to which to cause said electronic message to be rendered,

which further agent has a capability to process messages which belong to one or more of said unprocessed message classes.

5 2. An electronic message distributing apparatus as claimed in Claim 1, wherein each message class comprises a respective message group, each message group comprising one or more message categories.

10 3. An electronic message distributing apparatus as claimed in Claim 1, including means for recording that said electronic message is processed in respect of said at least one message class.

15 4. An electronic message distributing apparatus as claimed in Claim 1, wherein said agent directory includes, in respect of each agent, a set of one or more message classes in respect of which the respective agent has a capability of dealing with electronic messages, the
20 distributing apparatus including means for comparing said selected agent message classes set with said set of message classes into which the electronic message is deemed to belong, whereupon receipt of said signal from said selected agent, the distributing apparatus determines
25 that said electronic message is processed in respect of all message classes that are common to both of said message class sets.

5. An electronic message processing system for
30 distributing electronic messages amongst a plurality of agents, the system comprising:

a database arranged to store, in respect of each electronic message to be distributed, a set of one or more message classes into which the respective electronic message is deemed to belong; and

5

a directory of one or more agents, said directory including, in respect of each agent, a set of one or more message classes in respect of which the respective agent has a capability of dealing with electronic messages;

10

a distributing apparatus arranged to distribute electronic messages to one or more of said agents, the distributing apparatus comprising:

15

means for determining, from said database, at least one message class in which an electronic message is deemed to belong;

20

means for selecting, from said directory, an agent that has a capability to process electronic messages that belong to said at least one message class;

25

means for causing said electronic message to be rendered to said selected agent for processing thereby; and

means for receiving from said selected agent a signal indicating that said electronic message is processed;

30

wherein, upon receipt of said signal, the distributing apparatus is arranged to determine, from said database, if said set includes one or more message classes in respect of which said electronic message is not processed and, in

response to determining that said electronic message has not been processed in respect one or more message classes in said set, is arranged to select a further agent to which to cause said electronic message to be rendered,
5 which further agent has a capability to process messages which belong to one or more of said unprocessed message classes.

6. An electronic message processing system as claimed in
10 Claim 5, wherein each message class comprises a respective message group, each message group comprising one or more message categories.

7. An electronic message processing system as claimed in
15 Claim 5, wherein said distribution apparatus includes means for recording that said electronic message is processed in respect of said at least one message class.

8. An electronic message processing system as claimed in
20 Claim 5, wherein the distributing apparatus includes means for comparing said selected agent message classes set with said set of message classes into which the electronic message is deemed to belong, whereupon receipt of said signal from said selected agent, the distributing
25 apparatus determines that said electronic message is processed in respect of all message classes that are common to both of said message class sets.

9. An electronic message processing system as claimed in
30 Claim 5, wherein said database includes a first set of data records, said first data record set including one or more respective data records for each electronic message, each data record including means for identifying the

respective message to which it relates; and means for identifying a respective message class in which said respective message is deemed to belong.

5 10. An electronic message processing system as claimed in Claim 9, wherein each data record further includes status identifying means for indicating whether or not said
10 respective message has been processed by an agent in respect of said respective message class, the distribution apparatus being arranged to cause said status identifying means to be updated in response to said signal from said agent.

11. An electronic message processing system as claimed in
15 Claim 10, wherein the distributing apparatus is arranged to update the status identifier of each data record that relates to the message processed by said selected agent and that relates to a message class in respect of which said selected agent is capable of processing messages.

20 12. An electronic message processing system as claimed in Claim 9, wherein each data record further includes a priority identifier which indicates the relative priority of said data record in relation to the other data records
25 held in said first data record set in respect of the same electronic message, the distributing apparatus being arranged to select an agent that has a capability to process electronic messages belonging to the message class identified in the data record which has highest priority
30 and in respect of which message class the electronic message is not already processed.

13. An electronic message processing system as claimed in Claim 12, wherein the relative priority of data records for an electronic message is determined by the level of confidence with which said electronic message is deemed to belong to the message category identified in the respective data records.

14. An electronic message processing system as claimed in Claim 9, wherein message class identification means is a group identification means, where a group comprises one or more message categories.

15. An electronic message processing system as claimed in Claim 14, wherein said data records further include means for identifying one or more categories to which said respective electronic message is deemed to belong.

16. An electronic message processing system as claimed in Claim 9, including a classification apparatus, the classification apparatus comprising:

means for causing an electronic message to be classified into one or more message classes according to message content;

means for creating a respective data record, in said first data record set, for said one or more message classes.

17. An electronic message processing system as claimed in Claim 16, wherein each message class is associated with an indication of the confidence level with which said message class is assigned to the message, said database further including a second set of data records, said second data

record set including one or more respective data records
for each electronic message, each data record including
means for identifying the respective message to which it
relates; and means for identifying a respective message
5 class in which said respective message is deemed to
belong,

the classification apparatus being arranged to create a
data record, in said second set of data records, in
10 respect of the message class assigned to said electronic
message with the highest level of confidence,

the classification module being further arranged to
include in the or each data record in said first set of
15 data records an indication of the relative priority of
each data record,

wherein, the distributing apparatus is arranged to select
a data record from said second data record set and to
20 select an agent that is capable of processing messages
belonging to the message class identified in said selected
data record, the distributing apparatus being further
arranged, upon receipt of said signal from said agent, to
refer to said first set of data records and to create a
25 new entry in said second set of data records in respect of
the message class indicated in the data record in said
first set which bears the highest priority and in respect
of which message class the message has not been processed.

30 18. An electronic message processing system as claimed in
claim 5, wherein said agent directory includes means for
indicating the availability of each agent.

19. A message processing system as claimed in Claim 5, wherein said electronic messages include electronic mail messages (e-mails).

5 20. A message processing system as claimed in Claim 5, wherein said electronic messages include SMS (short message service) messages.

21. In an electronic message processing system for
10 distributing electronic messages amongst a plurality of agents, the system comprising: a database arranged to store, in respect of each electronic message to be distributed, a set of one or more message classes into which the respective electronic message is deemed to
15 belong; and a directory of one or more agents, said directory including, in respect of each agent, a set of one or more message classes in respect of which the respective agent has a capability of dealing with electronic messages, a method of processing electronic
20 messages, the method comprising:

determining, from said database, at least one message class in which an electronic message is deemed to belong;

25 selecting, from said directory, an agent that has a capability to process electronic messages that belong to said at least one message class;

causing said electronic message to be rendered to said
30 selected agent for processing thereby;

receiving from said selected agent a signal indicating that said electronic message is processed;

determining, upon receipt of said signal, if said set includes one or more message classes in respect of which said electronic message is not processed;

5

selecting, in response to determining that said electronic message has not been processed in respect one or more message classes in said set, a further agent to which to cause said electronic message to be rendered, which further agent has a capability to process messages which belong to one or more of said unprocessed message classes.

10

22. A method as claimed in claim 21, further including recording that said electronic message is processed in respect of said at least one message class.

15

23. A method as claimed in Claim 21, further including comparing said selected agent message classes set with said set of message classes into which the electronic message is deemed to belong, and, upon receipt of said signal from said selected agent, determining that said electronic message is processed in respect of all message classes that are common to both of said message class sets.

25

24. A method as claimed in Claim 22, wherein said database includes a first set of data records, said first data record set including one or more respective data records for each electronic message, each data record including means for identifying the respective message to which it relates; means for identifying a respective message class in which said respective message is deemed to belong; and status identifying means for indicating

30

whether or not said respective message has been processed
by an agent in respect of said respective message class,
the method further including causing said status
identifying means to be updated in response to said signal
5 from said agent.

25. A method as claimed in Claim 24, further including
updating the status identifier of each data record that
relates to the message processed by said selected agent
10 and that relates to a message class in respect of which
said selected agent is capable of processing messages.

26. A method as claimed in Claim 24, wherein each data
record further includes a priority identifier which
15 indicates the relative priority of said data record in
relation to the other data records held in said first data
record set in respect of the same electronic message, the
method further including selecting an agent that has a
capability to process electronic messages belonging to the
20 message class identified in the data record which has
highest priority and in respect of which message class the
electronic message is not already processed.

27. A method as claimed in Claim 26, wherein the relative
25 priority of data records for an electronic message is
determined by the level of confidence with which said
electronic message is deemed to belong to the message
category identified in the respective data records.

30 28. An method as claimed in Claim 24, wherein message
class identification means is a group identification
means, where a group comprises one or more message
categories.

29. A method as claimed in Claim 24, wherein the system includes a classification apparatus, the classification apparatus comprising means for causing an electronic message to be classified into one or more message classes according to message content; and means for creating a respective data record, in said first data record set, for said one or more message classes, wherein each message class is associated with an indication of the confidence level with which said message class is assigned to the message, said database further including a second set of data records, said second data record set including one or more respective data records for each electronic message, each data record including means for identifying the respective message to which it relates; and means for identifying a respective message class in which said respective message is deemed to belong, the method further including

creating a data record, in said second set of data records, in respect of the message class assigned to said electronic message with the highest level of confidence;

including in the or each data record in said first set of data records an indication of the relative priority of each data record;

selecting a data record from said second data record set;

selecting an agent that is capable of processing messages belonging to the message class identified in said selected data record;

creating, upon receipt of said signal from said agent, a
new entry in said second set of data records in respect of
the message class indicated in the data record in said
first set which bears the highest priority and in respect
5 of which message class the message has not been processed.

30. A computer program product comprising computer
program code stored on a computer usable storage medium
for, when executed on a computer system, processing
10 electronic messages in an electronic message processing
system for distributing electronic messages amongst a
plurality of agents, the system comprising: a database
arranged to store, in respect of each electronic message
to be distributed, a set of one or more message classes
15 into which the respective electronic message is deemed to
belong; and a directory of one or more agents, said
directory including, in respect of each agent, a set of
one or more message classes in respect of which the
respective agent has a capability of dealing with
20 electronic messages, a method of processing electronic
messages, the method comprising:

determining, from said database, at least one message
class in which an electronic message is deemed to belong;

25 selecting, from said directory, an agent that has a
capability to process electronic messages that belong to
said at least one message class;

30 causing said electronic message to be rendered to said
selected agent for processing thereby;

receiving from said selected agent a signal indicating
that said electronic message is processed;

determining, upon receipt of said signal, if said set
5 includes one or more message classes in respect of which
said electronic message is not processed;

selecting, in response to determining that said electronic
message has not been processed in respect one or more
10 message classes in said set, a further agent to which to
cause said electronic message to be rendered, which
further agent has a capability to process messages which
belong to one or more of said unprocessed message classes.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2

ABSTRACT

Electronic Message Distribution

5

The invention relates to the distribution of electronic messages which fall within one or more message classes or categories. One aspect of the invention provides an electronic message distributing apparatus for distributing
10 electronic messages from a database to one or more agents, the database storing, in respect of each electronic message to be distributes, a set of one or more message classes into which the message is deemed to belong. The apparatus causes the message to be rendered to one or more
15 agents in succession, each having the capability to deal with one or more of the message classes in said set, until the message is processed in respect of all message classes for which there is a capable agent. The invention removes the onus on individual agents to forward messages to other
20 agents if they cannot deal with all aspects of a message themselves. This reduces the likelihood that an inadequate response is sent to the customer




Fig. 1




Fig. 2





Fig. 3

Fig. 4





Fig. 5

Fig. 6




Fig. 7

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

ELECTRONIC MESSAGE DISTRIBUTION.

the specification of which is attached hereto unless the following box is checked:

☐

was filed on _____ as

United States Application Number or PCT International Application Number _____

and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Not Claimed

_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/>

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below.

_____ (Application Number)	_____ (Filing Date)
_____ (Application Number)	_____ (Filing Date)

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Number)

(Filing Date)

(Status - patented, pending, abandoned)

(Application Number)

(Filing Date)

(Status - patented, pending, abandoned)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Paul F. Prestia	Reg. No. 23,031	Lawrence E. Ashery	Reg. No. 34,515	Jacques L. Elkowicz	Reg. No. 41,738
Alan Ratner	Reg. No. 19,717	Christopher R. Lewis	Reg. No. 36,201	Jack J. Jankovitz	Reg. No. 42,690
Andrew L. Ney	Reg. No. 20,300	Robert L. Andersen	Reg. No. 25,771	Jonathan H. Spadt	Reg. No. 45,122
Kenneth N. Nigon	Reg. No. 31,549	Joshua L. Cohen	Reg. No. 36,040	Christopher I. Halliday	Reg. No. 42,621
Kevin R. Casey	Reg. No. 32,117	Daniel N. Calder	Reg. No. 27,624	Scott A. McKeeown	Reg. No. 42,866
Benjamin E. Leace	Reg. No. 33,412	Louis W. Beardell, Jr.	Reg. No. 40,506		
James C. Simmons	Reg. No. 24,842				

Address all correspondence to: Kenneth N. Nigon

Ratner & Prestia, Suite 301, One Westlakes, Berwyn, P.O. Box 980, Valley Forge, PA 19482-0980

Address all telephone calls to: Kenneth N. Nigon at (610) 407-0700.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor (given name, family name) Patrick McErlan

Inventor's signature X 

Date X 17/10/00

Residence 14 Ballymacpeake Road, Portlone, County Antrim, Northern Ireland, United Kingdom

Citizenship United Kingdom

Post Office Address 14 Ballymacpeake Road, Portlone, County Antrim, Northern Ireland, United Kingdom



Additional inventors are being named on separately numbered sheets attached hereto.